




디지털 영상신호 발생기

PG-401/PG-401L

디지털 영상신호 발생기
사용자 설명서



 EZ Digital Co.,Ltd.

()

()

.

[]



가

가

[]

:

:

:



[]

1.

: 10 ~ +35
: 45% ~ 85%
: 0 ~ +70
: 85%

2.

3. 가 () .

[]

1

1

1



1.	1
2.	1
	2-1.	
	2-2.	
3.	2
	3-1.	
	3-2.	
	3-3. RF	
	3-4. SOUND	
	3-5. VIDEO	
	3-6.	
	3-7.	
4.	3
	4-1.	4
	4-2.	
5.	5
	5-1. RF	5
	5-2. VIDEO	6
	5-3.	7
	5-4. SOUND	10
6.	10

1.

PG-401/PG-401L NTSC PAL

가 2가 (/)

TV,VCR,Monitor

2.

PG-401/401L

1 TV

2-1.

1.

2. 가 ()
20 ~30

3.

4. 가

5. 가

6.

7.

8.

9. (9VDC)

10.

2-2.

1. 가

2.

가

3.

4.

4-1



(ON/OFF)
 Power on : VHF "01"(PAL) "02"(NTSC)
 : OFF : Color Bar

Power off :

Beep

" "

(VHF, UHF , VIDEO)
 RF Video Video
 RF OFF
 VHF , RF VHF 가 UHF가 RF
 UHF 가

VHF	VHF Mark
UHF	UHF Mark
VIDEO	VIDEO Mark

6V ~ 10V
140mA

9V

Video
BNC

75 1V p-p

RF
Video RF
up/down

VHF UHF

LED

	PG - 401 (NTSC)	PG - 401 (PAL)
VHF	"02"	"01"
UHF	"14"	C : "21" D : "13"
VIDEO	" - - "	

off

- 15

가



7~ 8

가

UHF
UHF

2

4-2,



-1

C- 가 6 가

OFF

가

5.

5-1. RF

(1) : TV VTR RF TV,VCR RF
 . (5-1).
 가 TV,VCR

(2)

(a) PG - 401/PG - 401L "01" "02"

(b) TV,VCR

(c) TV,VCR VHF (3) VHF ,UHF

(3) UHF

(d) up/down TV

(e) UHF 가

(f) 가 1Khz 가

(g)

5-2. VIDEO

(1)

VIDEO TV,VCR VIDEO .(5-2)

(2)


"01" "02"가

TV,VCR VIDEO

VIDEO

PG-401/PG-401L

가 TV,VCR




(5-2)

5-3. Application

(1)



TV, VCR
5-3



5-3

TV


5-3



(2)

(Pin-cushion)

(5-4)




5-4

(3)

TV

(5-5)



5-5


(4)

TV

가

가

.(5-6)




5-6

(5) White

TV CRT white balance
RED/BLUE



(5-7)



5-7

(6) Red, Green, Blue

TV CRT
RED가 RED
RED가 CRT
Green Blue



5-4.

TV,VCR
1KHZ

RF

IF

FM

1KHz

± 25KHz
가

TV.VCR

가

		Sound Carrier
PG-401	NTSC M.M	4.5MHz FM
PG-401L	C : PAL B.G	5.5MHz FM
	D : PAL D.K	6.5MHz FM

6.

A/S

가

가

: 222-28
TEL:032-681-8388 FAX:032-681-8404
SVC :032-677-9974

: 708-33
TEL:02-587-9977 FAX:02-587-7384

5



본 사용설명서는 사전 예고 없이 변경될 수 있습니다.